



# SUMMIT LABS LLC

True Custom Orthotics  
CAD/CAM Designed

3-5 Day Turnaround  
True Total Contact  
Quality Materials

# Custom Fit Orthotics

## Catalog



605 N Eastern Avenue  
Allegan, Michigan 49010  
877.334.4442  
orders@summitlabsllc.com  
summitlabsllc.com



All orthotics are designed  
& fabricated in house  
in Allegan, Michigan.







# SUMMIT LABS LLC

True Custom Orthotics  
CAD/CAM Designed



## Direct Milled Custom Orthotics

**Better Outcomes. Happier Patients. Stronger Practices.**

At **Summit Labs**, we don't just make orthotics—we help practices deliver **measurable patient success**. Our **true total-contact, direct-milled custom orthotics** are designed to improve comfort, durability, and fit, leading to **higher patient compliance, faster adaptation, and better clinical outcomes**. All with a fast **3–5 business day turnaround**.

By working directly with industry professionals, we provide a consistent, high-quality product that helps reduce adjustments, remakes, and follow-up issues—saving time while improving patient satisfaction.

Our orthotics are custom-fit to **nearly any footwear**, including work boots, athletic shoes, cleats, ski boots, ice skates, AFOs, and more. A better fit across more shoes means patients **actually wear their orthotics**, resulting in improved compliance and long-term results.

To ensure lasting support, we use a **high-density foam with a smaller cell structure** that resists packing out. This allows the orthotic to maintain its shape and corrective function longer—helping patients experience **consistent pain relief, stability, and comfort over time**.

### **Full customization is standard.**

All postings, reliefs, and custom modifications—including **metatarsal pads**—are included at **no additional charge**, allowing providers to fine-tune treatment plans without cost barriers. This leads to better first-fit success and fewer returns.

### **The Summit Labs Advantage**

- Improved patient comfort and faster adaptation
- Higher patient compliance and daily wear
- Fewer adjustments and remakes
- More satisfied, returning patients
- Increased referrals and long-term practice growth
- Precision direct milling with **3–5 day turnaround**

When patients feel better, they return—and they refer.  
**Summit Labs orthotics help turn positive outcomes into lasting patient relationships.**

Built to perform. Designed to last. Delivered fast.



# SUMMIT LABS LLC

True Custom Orthotics  
CAD/CAM Designed

## Diabetic Orthotics 40 Duro


*\* Our standard toe fillers come in 40 or 55 durometer with P-Cell 1/8" + PPT 1/16" top sheet & with the ability to customize them to best suit your patient's needs - including any reliefs and/or met pads needed. Also available in any of our other base options.*

### Diabetic Orthotics 40 Duro

#### Standard Bi-Lam 1/8" P-Cell

\*Composition: Ethylene Vinyl Acetate

\*Hardness: 45 Shore A (+/- 5)




### Diabetic Orthotics 40 Duro

#### Standard Tri-Lam 3/16"

\*Composition: Ethylene Vinyl Acetate

\*Hardness: 45 Shore A (+/- 5)



### Diabetic Orthotics 40 Duro

#### P-Cell 1/8" + PPT 1/16"

\*Composition: Ethylene Vinyl Acetate

\*Hardness: 45 Shore A (+/- 5)




### Diabetic Orthotics 40 Duro

#### P-Cell 1/8" + PPT 1/8"

\*Composition: Ethylene Vinyl Acetate

\*Hardness: 45 Shore A (+/- 5)






**SUMMIT LABS LLC**

True Custom Orthotics  
CAD/CAM Designed

# X-Firm Diabetic Orthotics 55 Duro

*\* Our standard toe fillers come in 40 or 55 durometer with P-Cell 1/8" + PPT 1/16" top sheet & with the ability to customize them to best suit your patient's needs - including any reliefs and/or met pads needed. Also available in any of our other base options.*




## **X-Firm Diabetic Orthotics 55 Duro**

### **Standard Bi-Lam 1/8" P-Cell**

\*Composition: Ethylene Vinyl Acetate

\*Hardness: 55 Shore A (+/- 5)




## **X-Firm Diabetic Orthotics 55 Duro**

### **Standard Tri-Lam 3/16"**

\*Composition: Ethylene Vinyl Acetate

\*Hardness: 55 Shore A (+/- 5)




## **X-Firm Diabetic Orthotics 55 Duro**

### **P-Cell 1/8" + PPT 1/16"**

\*Composition: Ethylene Vinyl Acetate

\*Hardness: 55 Shore A (+/- 5)



## **X-Firm Diabetic Orthotics 55 Duro**

### **P-Cell 1/8" + PPT 1/8"**

\*Composition: Ethylene Vinyl Acetate

\*Hardness: 55 Shore A (+/- 5)





**SUMMIT LABS LLC**

True Custom Orthotics  
CAD/CAM Designed

# Functional Accommodative Orthotics

## Base Options

### DuraForm 35

- \*a low density, closed cell EVA with excellent elasticity
- \*ideal for cleat style “high performance” orthotics
- \*Composition: Ethylene Vinyl Acetate
- \*Hardness: 38 Shore A (+/- 5)



### Black 45 EVA

- \*medium firmness, lightweight EVA
- \*ideal for patient weight of up to 150 lbs
- \*Composition: Ethylene Vinyl Acetate
- \*Hardness: 45 Shore A (+/- 5)



### Black 55 EVA

- \*ideal for patient weight of 150 – 250 lbs
- \*Composition: Ethylene Vinyl Acetate
- \*Hardness: 55 Shore A (+/- 5)



### Multicork 55

- \*EVA substrate and cork blend
- \*can be used as a diabetic insert when paired with P-Cell 1/8” + PPT 1/16”
- \*Durometer: 55 Shore A (+/- 5)
- \*Composition: Natural cork and EVA





**SUMMIT LABS LLC**

True Custom Orthotics  
CAD/CAM Designed

# Functional Accommodative Orthotics

## Base Options



### Crepe 70

- \*heavy-duty – will hold up against a patient that ‘picks out’ any other material
- \*great for work boots – provides the most control
- \*Composition: Ethylene Vinyl Acetate
- \*Hardness: 65-70 Shore A (+/- 5)

## Carbon Plates



### Carbon Plates

Available as Full Length or  
Morton’s Extensions



All orthotics are designed  
& fabricated in house  
in Allegan, Michigan.





**SUMMIT LABS LLC**

True Custom Orthotics  
CAD/CAM Designed

# Functional Accommodative Orthotics

## Orthotic Options

These options can be found on the order form under Orthotic Options. Please be sure to select desired options

Orthotic Options					
<input type="checkbox"/> Sulcus Length	<input type="checkbox"/> Ultrathin Option	<input type="checkbox"/> UCBL Trim Line	<input type="checkbox"/> UCBL Trim Line	<input type="checkbox"/> UCBL Trim Line	<input type="checkbox"/> UCBL Trim Line
<input type="checkbox"/> Shallow Heel	<input type="checkbox"/> Extra Rigid (Quickform)	<input type="checkbox"/> Bottom Cover	<input type="checkbox"/> Bottom Cover	<input type="checkbox"/> Bottom Cover	<input type="checkbox"/> Bottom Cover

### Sulcus Length

\* Orthotic stops at foot sulcus



### Ultrathin Option

\* Base thickness reduced by half




### UCBL Trim Line

\* All orthotics can be milled - UCBL - 25mm heel cup



### Shallow Heel

\* Shallow heel available - 12mm vs. standard 18mm





**SUMMIT LABS LLC**

True Custom Orthotics  
CAD/CAM Designed

# Functional Accommodative Orthotics

## Orthotic Options



### Extra Rigid (Quickform)

\* 3/4 length Quickform can be added as a mid-layer on Cork 55 and Crepe 70



### Bottom Cover

\* Non-slip; can be added to any orthotic

## High Performance Sport Orthotic



### High Performance Sport Orthotic

\*ability to fit cleats along with all other sport-style shoes

*Special order request – please note “Cleat Style” under the Special Instructions section on the order form.*



# SUMMIT LABS LLC


True Custom Orthotics  
CAD/CAM Designed

# Poly Pro Orthotics

Two-sided milled poly propylene available in 5 thicknesses  
with your choice of heel cup depth and top sheet option.

Posting	Left		Right	
<b>Forefoot Posting</b>	<input type="checkbox"/> Lateral _____	<input type="checkbox"/> Medial _____	<input type="checkbox"/> Lateral _____	<input type="checkbox"/> Medial _____
<b>Rearfoot Posting</b>	<input type="checkbox"/> Lateral _____	<input type="checkbox"/> Medial _____	<input type="checkbox"/> Lateral _____	<input type="checkbox"/> Medial _____
<b>Posting Style</b>	<input type="checkbox"/> Intrinsic	<input type="checkbox"/> Extrinsic	<input type="checkbox"/> Intrinsic	<input type="checkbox"/> Extrinsic

*Intrinsic post is an approximat 1" flat spot on the bottom of the orthotic shell*  
*Extrinsic post is a solid plastic heel posting (Looks like a traditional heel posting expect it is machined out of plastic)*




**Posting Style - Please select "Intrinsic" or Extrinsic" on all Poly Pro orders, even if neutral posting is desired.**



### Poly Pro Orthotics Shell Only

Choose between "Extrinsic or "Intrinsic"



### Poly Pro Orthotics Loose in Package

\*will come with selected topsheet and bottom cover  
Choose between "Extrinsic or "Intrinsic"



### Poly Pro Orthotics

¾ length with top sheet glued  
Choose between "Extrinsic or "Intrinsic"



### Poly Pro Orthotics

Full length with bottom cover glued  
Choose between "Extrinsic or "Intrinsic"



# SUMMIT LABS LLC

True Custom Orthotics  
CAD/CAM Designed

## Top Sheet Options

*Choose between a wide variety of top sheet options  
for any Functional or Poly Pro Orthotics.*



**Top Sheet**  
Standard Bi-Lam



**Top Sheet**  
Standard Tri-Lam



**Top Sheet**  
P-Cell 1/8" + 1/16" PPT



**Top Sheet**  
P-Cell 1/8" + 1/8" PPT



**Top Sheet**  
Black Ice 1/16"



**Top Sheet**  
Black Ice 1/8"





# SUMMIT LABS LLC

True Custom Orthotics  
CAD/CAM Designed

## Top Sheet Options

*Choose between a wide variety of top sheet options  
for any Functional or PolyPro Orthotics.*

**Top Sheet**  
Green Camo 1/8"



**Top Sheet**  
Pink Camo 1/16"



**Top Sheet**  
Pink Camo 1/8"



**Top Sheet**  
Fabric with 1/16" Neosponge





# SUMMIT LABS LLC

True Custom Orthotics  
CAD/CAM Designed

## Top Sheet Options

*Choose between a wide variety of top sheet options  
for any Functional or Poly Pro Orthotics.*




### Top Sheet

Fabric with 1/8" Neosponge



### Top Sheet

Black Ice 1/16" + 1/16" PPT



### Top Sheet

Black Ice 1/16" + 1/8" PPT



### Top Sheet

Black Ice 1/16" + 1/16" XRD





# SUMMIT LABS LLC


True Custom Orthotics  
CAD/CAM Designed

## Top Sheet Options

*Choose between a wide variety of top sheet options  
for any Functional or Poly Pro Orthotics.*

### Top Sheet

Black Ice 1/16" + 1/8" XRD



### Top Sheet

Pink Camo 1/16" + 1/16" PPT




### Top Sheet

Pink Camo 1/16" + 1/8" PPT



### Top Sheet

Carbon Fiber + 1/16" PPT






# SUMMIT LABS LLC


True Custom Orthotics  
CAD/CAM Designed

## Top Sheet Options

*Choose between a wide variety of top sheet options  
for any Functional or Poly Pro Orthotics.*




**Top Sheet**  
Carbon Fiber + 1/8" PPT



**Top Sheet**  
Carbon Fiber + 1/16" XRD



**Top Sheet**  
Carbon Fiber + 1/8" XRD



**Top Sheet**  
Perforated 1/8"



**Top Sheet**  
Perforated 1/16"





**SUMMIT LABS LLC**

True Custom Orthotics  
CAD/CAM Designed

# Direct Milled Order Form



Phone: 877-334-4442

Office Ship to Information



SUMMIT LABS LLC  
True Custom Orthotics  
CAD/CAM Designed

<b>Office Name:</b>		
<b>Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		

<b>Patient Information</b>	<b>Contact Name:</b>
----------------------------	----------------------

<b>PO#</b>	<b>Date:</b>	<b>Gender: M</b> <input type="checkbox"/> <b>F</b> <input type="checkbox"/>
------------	--------------	---

<b>Patient Name:</b>	<b>Date of Birth:</b>
----------------------	-----------------------

<b>Patient Weight:</b>	<b>Activity Level: Low</b> <input type="checkbox"/> <b>Moderate</b> <input type="checkbox"/> <b>High</b> <input type="checkbox"/>
------------------------	---

**Shoe Information (Required Information)**

**Shoe Brand (Check One):**  Anodyne  Aetrex  Apis  Brooks  Danner  Drew  Dr. Comfort  Keen  New Balance  Ortho Feet  Pedors  Propet  Red Wings  Other

<b>Style:</b>	<b>Size:</b>
---------------	--------------

**Orthotic Style**

**Diabetic Orthotics 40 Duro**

Standard Bi-Lam 1/8" P-Cell  
 Standard Tri-Lam 3/16"  
 P-Cell 1/8" + PPT 1/16"  
 P-Cell 1/8" + PPT 1/8"

**X-Firm Diabetic Orthotics 55 Duro**

Standard Bi-Lam 1/8" P-Cell  
 Standard Tri-Lam 3/16"  
 P-Cell 1/8" + PPT 1/16"  
 P-Cell 1/8" + PPT 1/8"

**Functional Accommodative Orthotics Base Options**

DuraForm 35  Black 45 EVA  Black 55 EVA  
 Multicork 55  Crepe 70

**Select Functional Accommodative Topsheet Below**

<input type="checkbox"/> P-Cell 1/8" + 1/16" PPT	<input type="checkbox"/> Black Ice 1/16" + 1/16" PPT
<input type="checkbox"/> P-Cell 1/8" + 1/8" PPT	<input type="checkbox"/> Black Ice 1/16" + 1/8" PPT
<input type="checkbox"/> Black Ice 1/8"	<input type="checkbox"/> Black Ice 1/16" + 1/16" XRD
<input type="checkbox"/> Black Ice 1/16"	<input type="checkbox"/> Black Ice 1/16" + 1/8" XRD
<input type="checkbox"/> Green Camo 1/8"	<input type="checkbox"/> Pink Camo 1/16" + 1/16" PPT
<input type="checkbox"/> Pink Camo 1/16"	<input type="checkbox"/> Pink Camo 1/16" + 1/8" PPT
<input type="checkbox"/> Pink Camo 1/8"	<input type="checkbox"/> Carbon Fiber + 1/16" PPT
<input type="checkbox"/> Fabric with 1/16" Neosponge	<input type="checkbox"/> Carbon Fiber + 1/8" PPT
<input type="checkbox"/> Fabric with 1/8" Neosponge	<input type="checkbox"/> Carbon Fiber + 1/16" XRD
<input type="checkbox"/> SEE SPECIAL INSTRUCTIONS	<input type="checkbox"/> Carbon Fiber + 1/8" XRD

**Carbon Plates Orthotic Options**

Full Length  Left  Right  
Morton's Extensions  Left  Right

Sulcus Length  Ultrathin Option  UCBL Trim Line  
 Shallow Heel  Extra Rigid (Quickform)  Bottom Cover

**Quantity of Orthotics**

3 Pairs  2 Pairs  1 Pair  
Other: Left 3 2 1 Right 3 2 1

**Toe Filler**

Left  Right  
Please indicate where fill is to be added below


**Posting Left Right**

**Forefoot**  Lateral\_\_\_  Medial\_\_\_  Lateral\_\_\_  Medial\_\_\_  
**Rearfoot**  Lateral\_\_\_  Medial\_\_\_  Lateral\_\_\_  Medial\_\_\_

**Metatarsal Pads**  Left  Right

**Special Instructions**

**Areas of Concern**



Email orders to [orders@summitlabsllc.com](mailto:orders@summitlabsllc.com)  
Summit Labs LLC 605 N. Eastern Ave Allegan, MI 49010



**SUMMIT LABS LLC**

True Custom Orthotics  
CAD/CAM Designed

# Poly Pro Order Form





**SUMMIT LABS LLC**  
True Custom Orthotics  
CAD/CAM Designed

<b>Office Name:</b>		
<b>Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		

**Patient Information**

**Contact Name:**

**PO#** \_\_\_\_\_ **Date:** \_\_\_\_\_ **Gender:**  **M**  **F**

**Patient Name:** \_\_\_\_\_ **Date of Birth:** \_\_\_\_\_

**Patient Weight:** \_\_\_\_\_ **Activity Level:**  **Low**  **Moderate**  **High**

**Orthotic Information**

<p><b>Shell Thickness</b></p> <p><input type="checkbox"/> 3.25mm (<i>Kids Lightweight</i>)</p> <p><input type="checkbox"/> 3.55mm (<i>Lightweight</i>)</p> <p><input type="checkbox"/> 3.85mm (<i>Performs like 1/8<sup>th</sup></i>)</p> <p><input type="checkbox"/> 4.15mm (<i>Between 1/8<sup>th</sup> and 3/16<sup>th</sup></i>)</p> <p><input type="checkbox"/> 4.45mm (<i>Performs like 3/16<sup>th</sup></i>)</p>	<p><b>Heel Cup Depth</b></p> <p><input type="checkbox"/> 10mm (<i>Dress/Kids</i>)</p> <p><input type="checkbox"/> 14mm (<i>Dress/Kids</i>)</p> <p><input type="checkbox"/> 18mm (<i>Summit Standard</i>)</p> <p><input type="checkbox"/> 20mm (<i>Aggressive Control</i>)</p> <p><input type="checkbox"/> UCBL (25mm)</p>
--	---

**Topsheet options**

<input type="checkbox"/> Black Ice 1/8"	<input type="checkbox"/> Black Ice 1/16" + 1/16" PPT	<input type="checkbox"/> Carbon Fiber + 1/16" PPT
<input type="checkbox"/> Black Ice 1/16"	<input type="checkbox"/> Black Ice 1/16" + 1/8" PPT	<input type="checkbox"/> Carbon Fiber + 1/8" PPT
<input type="checkbox"/> Pink Camo 1/8"	<input type="checkbox"/> Black Ice 1/16" + 1/16" XRD	<input type="checkbox"/> Carbon Fiber + 1/16" XRD
<input type="checkbox"/> Pink Camo 1/16"	<input type="checkbox"/> Black Ice 1/16" + 1/8" XRD	<input type="checkbox"/> Carbon Fiber + 1/8" XRD
<input type="checkbox"/> Pink Camo 1/16" + 1/16" PPT	<input type="checkbox"/> P-Cell 1/8" + 1/16" PPT	<input type="checkbox"/> Fabric + 1/16" Neosponge
<input type="checkbox"/> Pink Camo 1/16" + 1/8" PPT	<input type="checkbox"/> P-Cell 1/8" + 1/8" PPT	<input type="checkbox"/> Fabric + 1/8" Neosponge

**Topsheet finish options**

Shell Only  Send loose in package  3/4 Length Topsheet Glued  Full length with bottom cover Glued

**Posting** **Left** **Right**

**Forefoot Posting**  Lateral \_\_\_\_\_  Medial \_\_\_\_\_  Lateral \_\_\_\_\_  Medial \_\_\_\_\_

**Rearfoot Posting**  Lateral \_\_\_\_\_  Medial \_\_\_\_\_  Lateral \_\_\_\_\_  Medial \_\_\_\_\_

**Posting Style**  Intrinsic  Extrinsic  Intrinsic  Extrinsic

*Intrinsic post is an approximant 1" flat spot on the bottom of the orthotic shell*  
*Extrinsic post is a solid plastic heel posting (Looks like a traditional heel posting expect it is machined out of plastic)*

**Quantity of Orthotics**

1 Pair  2 Pairs **Other:** Left  \_\_\_\_\_ Right  \_\_\_\_\_

**Metatarsal Pads**  Left  Right


**Special Instructions**

\_\_\_\_\_

**Areas of Concern**




**Left**



**Right**

**Email orders to [orders@summitlabsllc.com](mailto:orders@summitlabsllc.com)**

**Summit Labs LLC 605 N. Eastern Ave, Allegan MI 49010**



[portal.orthocloud.ai](https://portal.orthocloud.ai)

## Digital Scanning & Ordering Solution

Summit Labs provides a complete, no-cost digital scanning and ordering platform designed for accuracy, confidence, and efficiency.


### Key Benefits:

- **Easy-to-use clinical interface** for fast, accurate order submission
- **Submit precise orders with confidence**, reducing errors and remakes
- **Secure scan and prescription uploads** at no additional charge
- **Fully HIPAA-compliant** to protect patient data
- **Streamlined workflow** for accuracy and tracking
- **Improves consistency and first-fit success**

### Access Includes:

- Secure **OrthoCloud.ai web portal**
- **Structured scanner application** for reliable data capture

**Contact Summit Labs to register and get started**



605 N Eastern Avenue  
 Allegan, Michigan 49010  
 877.334.4442  
[orders@summitlabsllc.com](mailto:orders@summitlabsllc.com)  
[summitlabsllc.com](https://summitlabsllc.com)

