



| | | |
|---------------------|---------------|-------------|
| Office Name: | | |
| Address: | | |
| City: | State: | Zip: |
| Phone: | | |

| | |
|----------------------------|----------------------|
| Patient Information | Contact Name: |
|----------------------------|----------------------|

| | | |
|------------|--------------|--------------------|
| PO# | Date: | Gender: M F |
|------------|--------------|--------------------|

| | |
|----------------------|-----------------------|
| Patient Name: | Date of Birth: |
|----------------------|-----------------------|

| | |
|------------------------|--|
| Patient Weight: | Activity Level: Low Moderate High |
|------------------------|--|

Shoe Information (Required Information)

Shoe Brand (Check One): Anodyne Aetrex Apis Brooks Drew Dr. Comfort
 New Balance Ortho Feet Pedors Propet PW Minor Other

| | |
|---------------|--------------|
| Style: | Size: |
|---------------|--------------|

Orthotic Style

| | | | | | | | | | | | | | | | | | |
|--|---|--|--|---|---|---|--|--|---|--|--|--|---|---|--|--|---|
| <p>Diabetic Orthotics 40 Duro</p> <p><input type="checkbox"/> Standard Bi-Lam 1/8" P-Cell <input type="checkbox"/> Standard Tri-Lam 3/16"</p> <p>X-Firm Diabetic Orthotics 55 Duro</p> <p><input type="checkbox"/> Standard Bi-Lam 1/8" P-Cell <input type="checkbox"/> Standard Tri-Lam 3/16" <input type="checkbox"/> P-Cell 1/8" + PPT 1/16"</p> | <p>Functional Accommodative Orthotics Base Options</p> <p><input type="checkbox"/> Black 45 EVA <input type="checkbox"/> Blue 55 EVA <input type="checkbox"/> Multicork 55 <input type="checkbox"/> Crepe 70</p> <p>Select Functional Accommodative Topsheet Below</p> <table border="0"> <tr> <td><input type="checkbox"/> P-Cell 1/8" + PPT 1/16"</td> <td><input type="checkbox"/> Black Ice 1/16" + PPT 1/16"</td> </tr> <tr> <td><input type="checkbox"/> P-Cell 1/8" + PPT 1/8"</td> <td><input type="checkbox"/> Black Ice 1/8" + PPT 1/16"</td> </tr> <tr> <td><input type="checkbox"/> Black Ice 1/8"</td> <td><input type="checkbox"/> Black Ice 1/16" + SRP 1/16"</td> </tr> <tr> <td><input type="checkbox"/> Black Ice 1/16"</td> <td><input type="checkbox"/> Black Ice 1/16" + SRP 1/8"</td> </tr> <tr> <td><input type="checkbox"/> Green Camo 1/8"</td> <td><input type="checkbox"/> Pink Camo 1/16" + 1/16" PPT</td> </tr> <tr> <td><input type="checkbox"/> Pink Camo 1/16"</td> <td><input type="checkbox"/> Pink Camo 1/8" + 1/16" PPT</td> </tr> <tr> <td><input type="checkbox"/> Pink Camo 1/8"</td> <td><input type="checkbox"/> Vinyl+1/16" SRD</td> </tr> <tr> <td><input type="checkbox"/> Fabric with 1/16" Neosponge</td> <td><input type="checkbox"/> Fabric with 1/8" Neosponge</td> </tr> </table> | <input type="checkbox"/> P-Cell 1/8" + PPT 1/16" | <input type="checkbox"/> Black Ice 1/16" + PPT 1/16" | <input type="checkbox"/> P-Cell 1/8" + PPT 1/8" | <input type="checkbox"/> Black Ice 1/8" + PPT 1/16" | <input type="checkbox"/> Black Ice 1/8" | <input type="checkbox"/> Black Ice 1/16" + SRP 1/16" | <input type="checkbox"/> Black Ice 1/16" | <input type="checkbox"/> Black Ice 1/16" + SRP 1/8" | <input type="checkbox"/> Green Camo 1/8" | <input type="checkbox"/> Pink Camo 1/16" + 1/16" PPT | <input type="checkbox"/> Pink Camo 1/16" | <input type="checkbox"/> Pink Camo 1/8" + 1/16" PPT | <input type="checkbox"/> Pink Camo 1/8" | <input type="checkbox"/> Vinyl+1/16" SRD | <input type="checkbox"/> Fabric with 1/16" Neosponge | <input type="checkbox"/> Fabric with 1/8" Neosponge |
| <input type="checkbox"/> P-Cell 1/8" + PPT 1/16" | <input type="checkbox"/> Black Ice 1/16" + PPT 1/16" | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> P-Cell 1/8" + PPT 1/8" | <input type="checkbox"/> Black Ice 1/8" + PPT 1/16" | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Black Ice 1/8" | <input type="checkbox"/> Black Ice 1/16" + SRP 1/16" | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Black Ice 1/16" | <input type="checkbox"/> Black Ice 1/16" + SRP 1/8" | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Green Camo 1/8" | <input type="checkbox"/> Pink Camo 1/16" + 1/16" PPT | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Pink Camo 1/16" | <input type="checkbox"/> Pink Camo 1/8" + 1/16" PPT | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Pink Camo 1/8" | <input type="checkbox"/> Vinyl+1/16" SRD | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Fabric with 1/16" Neosponge | <input type="checkbox"/> Fabric with 1/8" Neosponge | | | | | | | | | | | | | | | | |

Carbon Plates Orthotic Options

| | |
|--|--|
| Full Length <input type="checkbox"/> Left <input type="checkbox"/> Right | <input type="checkbox"/> Sulcus Length <input type="checkbox"/> Ultrathin Option <input type="checkbox"/> UCBL Trim Line |
| Morton's Extensions <input type="checkbox"/> Left <input type="checkbox"/> Right | <input type="checkbox"/> Shallow Heel (Podiatric Style) <input type="checkbox"/> Extra Rigid (Quickform) |

Quantity of Orthotics Toe Filler

| | |
|---|--|
| <input type="checkbox"/> 3 Pairs <input type="checkbox"/> 2 Pairs <input type="checkbox"/> 1 Pair | <input type="checkbox"/> Left <input type="checkbox"/> Right |
| Other: Left <input type="checkbox"/> 3 <input type="checkbox"/> 2 <input type="checkbox"/> 1 Right <input type="checkbox"/> 3 <input type="checkbox"/> 2 <input type="checkbox"/> 1 | Please indicate where fill is to be added below |

Posting Left Right Areas of Concern

| |
|---|
| Forefoot <input type="checkbox"/> Lateral <input type="checkbox"/> Medial <input type="checkbox"/> Lateral <input type="checkbox"/> Medial |
| Rearfoot <input type="checkbox"/> Lateral <input type="checkbox"/> Medial <input type="checkbox"/> Lateral <input type="checkbox"/> Medial |
| Metatarsal Pads <input type="checkbox"/> Left <input type="checkbox"/> Right |

Special Instructions

